

TECHNICAL DATA SHEET

Divinol Syntholight MBX 5W-30

Premium car oil e.g. for Mercedes-Benz

PRODUCT DESCRIPTION

Divinol Syntholight MBX 5W-30 is A modern smooth-running high-performance engine oil among the best of its class, which can be used for the extended maintenance intervals in personal cars. This high-performance engine oil is formulated for use in modern Mercedes petrol engines, but also suitable for diesel engines. It enables an efficient supply of advanced car engines while keeping maintenance efforts as low as possible. **Divinol Syntholight MBX 5W-30** is a hybrid-ready engine oil **(H.E.V / P.E.H.V)** and can also be used in vehicles with an **automatic start-stop system**.

CHARACTERISTICS

SAE Grade	5W-30
Density/15°C / DIN EN ISO 12185	850 kg/m³
Viscosity/40°C / ASTM D 7042	67 mm²/s
Viscosity/100°C / ASTM D 7042	11.3 mm²/s
Viscosity index / ASTM D 2270	170
Flash point (Cleveland) / DIN ISO 2592	>200°C
Pour point / ASTM D 7346	-39 °C
TBN	>= 10,00 mgKOH/g

SPECIFICATION

49210 03/2022-49210-28

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.



TECHNICAL DATA SHEET

Divinol Syntholight MBX 5W-30

Premium car oil e.g. for Mercedes-Benz

ACEA A3/B4; API SL/CF; JASO MA-2

MANUFACTURER APPROVAL

MB-Approval 229.5

DIVINOL RECOMMENDATION

VW 502.00/505.00; Renault RN 0700/0710; GM-LL-A-025; GM-LL-B-025; BMW Longlife-01 (<2019)

APPLICATION

This high-performance engine oil is ideal for an application in gasoline, diesel engines and E-hybrid vehicles. High lubricating safety is guaranteed and optimized oil maintenance intervals are possible.

Benefit from our service, we will gladly advise you and develop individual application recommendations for your process. Please also note the material safety data sheet.

49210 03/2022-49210-28

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

2/2