



TECHNICAL DATA SHEET

Divinol Spezial 2000 HD 20

HD Monograde oil SAE 20

PRODUCT DESCRIPTION

Monograde motor oil for wide application area. Divinol Spezial 2000 HD 20 has high reserves against wear and sludge. The product offers optimal lubrication as well as a very high oxidation stability even under difficult conditions.

CHARACTERISTICS

SAE Grade	20
Density/15°C / DIN EN ISO 12185	0,86 g/cm ³
Viscosity/40°C / ASTM D 7042	42 mm ² /s
Viscosity/100°C / ASTM D 7042	7.5 mm ² /s
Viscosity index / ASTM D 2270	142
Flash point (Cleveland) / DIN ISO 2592	>220 °C
Pour point / ASTM D 7346	-24 °C

SPECIFICATION

API SL/CF

DIVINOL RECOMMENDATION

ACEA E1/E2; MB 227.0/228.0; MAN 270; MTU Type 1

49421

06/2023-49421-7

The information contained in this document (the "Product Specification") is based on our present knowledge. They do not exempt the processor or user from carrying out its own tests. Properties of the product going beyond the above-mentioned specifications and/or suitability for a specific purpose cannot be derived from the product specification and are not owed. Any existing legal provisions and regulations concerning the handling and use of the products must be observed by the processor or user of our products. We expressly point out that the owed quality of our product is measured exclusively on the basis of the properties warranted in this document; the fulfillment of additional legal objective quality requirements is not owed. By ordering our product without objection, being aware of this product specification, you agree to it.



TECHNICAL DATA SHEET

Divinol Spezial 2000 HD 20

HD Monograde oil SAE 20

APPLICATION

All purpose HD single grade engine oil for Otto and Diesel engines and stationary motors. Also suitable as hydraulic medium for machines, the mix of proven base oils with additives ensures effective wear and corrosion protection.

49421

06/2023-49421-7

The information contained in this document (the "Product Specification") is based on our present knowledge. They do not exempt the processor or user from carrying out its own tests. Properties of the product going beyond the above-mentioned specifications and/or suitability for a specific purpose cannot be derived from the product specification and are not owed. Any existing legal provisions and regulations concerning the handling and use of the products must be observed by the processor or user of our products. We expressly point out that the owed quality of our product is measured exclusively on the basis of the properties warranted in this document; the fulfillment of additional legal objective quality requirements is not owed. By ordering our product without objection, being aware of this product specification, you agree to it.

2 / 2