

## **TECHNICAL DATA SHEET**

# **Divinol Syntholight CC 0W-30**

HC Synthesis Motoroil SAE 0W-30; ACEA A5/B5

### PRODUCT DESCRIPTION

**Divinol Syntholight CC 0W-30** is a smooth-running engine oil blended with most advanced HC synthesis technology oils and modern additives. The oil is recommended for Otto and Diesel engines, which need an engine oil according ACEA A5/B5, which fits for several Volvo Cars. **Divinol Syntholight CC 0W-30** is a hybrid-ready engine oil **(H.E.V / P.E.H.V)** and can also be used in vehicles with an **automatic start-stop system**.

### **CHARACTERISTICS**

SAE Grade	0W-30
Density/15°C / DIN EN ISO 12185	0,850 g/cm³
Viscosity/40°C / ASTM D 7042	57 mm²/s
Viscosity/100°C / ASTM D 7042	10.5 mm²/s
Viscosity index / ASTM D 2270	175
Flash point (Cleveland) / DIN ISO 2592	215 °C
Pour point / ASTM D 7346	-38 °C

## **SPECIFICATION**

API SL; ACEA A5/B5

49500 08/2022-49500-10

This information corresponds to our current knowledge. They do not exempt the processor from carrying out its own tests. A legally binding assurance of certain properties or a suitability for a specific application cannot be derived from our information. Any existing legal provisions and regulations concerning the handling and use of the products must be observed by the recipient of our products himself. We would also like to point out that the specifications of our product always take precedence over objective quality requirements.

1/2



# **TECHNICAL DATA SHEET**

# **Divinol Syntholight CC 0W-30**

HC Synthesis Motoroil SAE 0W-30; ACEA A5/B5

### **DIVINOL RECOMMENDATION**

Volvo VCC95200377

## **APPLICATION**

**Divinol Syntholight CC 0W-30** guarantees a rapid oiling of the engine even under low temperature conditions and offers a sufficiently thick lubricating film at higher temperatures.

Benefit from our service, we will gladly advise you and develop individual application recommendations for your process. Please also note the material safety data sheet.

49500 08/2022-49500-10

This information corresponds to our current knowledge. They do not exempt the processor from carrying out its own tests. A legally binding assurance of certain properties or a suitability for a specific application cannot be derived from our information. Any existing legal provisions and regulations concerning the handling and use of the products must be observed by the recipient of our products himself. We would also like to point out that the specifications of our product always take precedence over objective quality requirements.