

TECHNICAL DATA SHEET

Divinol Super 15W-40

mineral multigrade oil SAE 15W-40

PRODUCT DESCRIPTION

Multigrade oil with ideal viscosity-temperature behaviour. The product has excellent cleaning and sludge carrying as well as dispersant and detergent properties. Also suitable for LPG/CNG motors according to manufacturer's instructions!

CHARACTERISTICS

SAE Grade	15W40
Colour / DIN ISO 2049	3.5
Density/15°C / DIN EN ISO 12185	0,871 g/cm³
Ash / Sulfate DIN 51575	1.2 %
Viscosity/40°C / ASTM D 7042	101 mm²/s
Viscosity/100°C / ASTM D 7042	13 mm²/s
Viscosity index / ASTM D 2270	145
Flash point (Cleveland) / DIN ISO 2592	220°C
Pour point / ASTM D 7346	≤ -30 °C
TBN	6.5 mgKOH/g

49623 03/2024-49623-12

The information contained in this document (the "Product Specification") is based on our present knowledge. They do not exempt the processor or user from carrying out its own tests. Properties of the product going beyond the above-mentioned specifications and/or suitability for a specific purpose cannot be derived from the product specification and are not owed. Any existing legal provisions and regulations concerning the handling and use of the products must be observed by the processor or user of our products. We expressly point out that the owed quality of our product is measured exclusively on the basis of the properties warranted in this document; the fulfillment of additional legal objective quality requirements is not owed. By ordering our product without objection, being aware of this product specification, you agree to it



TECHNICAL DATA SHEET

Divinol Super 15W-40

mineral multigrade oil SAE 15W-40

SPECIFICATION

API SL/CF; JASO MA

DIVINOL RECOMMENDATION

ACEA E2-98; MAN 271; MB 228.1; Volvo VDS

APPLICATION

HD-multigrade engine oil for otto and diesel engines.

Benefit from our service, we will gladly advise you and develop individual application recommendations for your process. Please also note the material safety data sheet.

49623 03/2024-49623-12

The information contained in this document (the "Product Specification") is based on our present knowledge. They do not exempt the processor or user from carrying out its own tests. Properties of the product going beyond the above-mentioned specifications and/or suitability for a specific purpose cannot be derived from the product specification and are not owed. Any existing legal provisions and regulations concerning the handling and use of the products must be observed by the processor or user of our products. We expressly point out that the owed quality of our product is measured exclusively on the basis of the properties warranted in this document; the fulfillment of additional legal objective quality requirements is not owed. By ordering our product without objection, being aware of this product specification, you agree to it.