

**TECHNICAL DATA SHEET** 

# Divinol Spezialöl HGB V-R

UTTO OIL SAE 10W-30

## PRODUCT DESCRIPTION

**Divinol Spezialöl HGB V-R** is a gear and hydraulic oil (UTTO), which can be used for tractors, agricultural machines and construction engines. The product guarantees an optimal frictional properties and reduces noise in wet brakes. The product offers excellent low-temperature performance as well as gear lubrication.

### **CHARACTERISTICS**

Colour / DIN ISO 2049	L 4.0
SAE Grade	10W-30 / SAE 80W
Density/15°C / DIN EN ISO 12185	0,87 g/cm³
Viscosity/40°C / ASTM D 7042	65 mm²/s
Viscosity/100°C / ASTM D 7042	10.7 mm²/s
Viscosity index / ASTM D 2270	> 140 °C
Flash point (Cleveland) / DIN ISO 2592	240°C
Pour point / ASTM D 7346	- 42 °C

## **SPECIFICATION**

API GL-4/GL-5 low torque application, UTTO, HVLPD (DIN 51524 Part 2/3);

52040 02/2022-52040-27

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

1/2



**TECHNICAL DATA SHEET** 

## Divinol Spezialöl HGB V-R

UTTO OIL SAE 10W-30

### **DIVINOL RECOMMENDATION**

SDFG OT 1891; Allison C-4; Case MS 1204/1206/1207/1209; Caterpillar TO-2; CNH MAT 3525; Valtra G02-08; Deutz-Allis AC Power Fluid 821 XL; IHC B5&B6 Hydran; Kubota UDT Fluid; Ford New Holland M2C48-C3 /M2C86-B/M2C-134D; John Deere JDM J20 C; MF CMS M 1135/1141/1143/1145; New Holland NH410B/ NH420A; Volvo VME WB 101; Denison/Parker HF-0/HF-02; Eaton I-280-S/ M2950S; JCMAS HK P-041; White Q-1705/1722/1766/1766B/1802/1826; Oliver Type 55/5J/Q1802; Sauer/Danfoss Hydro Static Trans Fluid

also suitable for Volvo WB 102 on half of the oil drain interval. No "Low Viscosity" UTTO oil.

#### **APPLICATION**

**Divinol Spezialöl HGB V-R** is a gear and hydraulic oil (UTTO), which can be used for tractors, agricultural and construction machines.

Benefit from our service, we will gladly advise you and develop individual application recommendations for your process. Please also note the material safety data sheet.

52040 02/2022-52040-27

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

2/2