

according to UK REACH Regulation

Revision date: 07.11.2022

DIVINOL SYNTHOLIGHT 10W-60

Article No.: 49390

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ZELLER+GMELIN

49390 DIVINOL SYNTHOLIGHT 10W-60

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
E-mail:	info@zeller-gmelin.de	
Contact person:	Thorsten Grönig	Telephone: +49 (0) 7161 / 802-268
E-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	
1.4. Emergency telephone number:	In England and Wales: NHS Direct: 0845 08454 24 24 24	6 4647 or 111 In Scotland: NHS 24 -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

EUH210

Special labelling of certain mixtures

Safety data sheet available on request.

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture based on mineral oil and hydrocrack synthetic oil (DMSO extract < 3 % as measured by IP 346).

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64742-65-0	distillates (petroleum), solvent-dewaxed heavy paraffinic			1 - < 2.5 %
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304			
68784-26-9	phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased			1 - < 2.5 %
	701-251-5		01-2119524004-56	
	Aquatic Chronic 4; H413			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

according to UK REACH Regulation

DIVINOL SYNTHOLIGHT 10W-60

Revision date: 07.11.2022

Article No.: 49390

Page 2 of 7

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Protective measures: see section 7 + 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Protective measures: see section 7 + 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.



Revision date: 07.11.2022

Safety Data Sheet

according to UK REACH Regulation

DIVINOL SYNTHOLIGHT 10W-60

Article No.: 49390

Page 3 of 7

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-65-0	4742-65-0 distillates (petroleum), solvent-dewaxed heavy paraffinic			
Worker DNEL,	long-term	inhalation	local	5,40 mg/m³
Consumer DNEL, long-term inhalation local 1,20 mg/m ³			1,20 mg/m³	
68784-26-9	68784-26-9 phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased			
Worker DNEL, long-term		inhalation	systemic	3,5 mg/m³
Worker DNEL, acute		inhalation	systemic	133,6 mg/m³
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	80 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,87 mg/m³
Consumer DNEL, acute		inhalation	systemic	0,067 mg/m³
Consumer DNEL, acute		dermal	systemic	40 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	50 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmenta	al compartment	Value	
64742-65-0	distillates (petroleum), solvent-dewaxed heavy paraffinic		
Secondary po	pisoning	9,33 mg/kg	
68784-26-9	phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased		
Freshwater		0,5 mg/l	
Freshwater s	ediment	43500 mg/kg	
Marine sediment 3480 mg		3480 mg/kg	
Secondary poisoning 13,333		13,333 mg/kg	
Micro-organisms in sewage treatment plants (STP) 100 m		100 mg/l	
Soil		8850 mg/kg	

Additional advice on limit values

a no restriction

- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift



according to UK REACH Regulation

Revision date: 07.11.2022

DIVINOL SYNTHOLIGHT 10W-60

Article No.: 49390

Page 4 of 7

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN ISO 16321).

Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	brown		
Odour:	characteristic		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		not determined	
boiling range:			
Flammability:		not determined	
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		6,5 vol. %	
Flash point:		>= 220 °C	EN ISO 2592
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value:		not applicable	
Viscosity / kinematic:		22,9 mm²/s	ASTM D 7042
(at 100 °C)			
Water solubility:		insoluble	
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		< 0,1 hPa	
(at 20 °C)			
Density (at 15 °C):			DIN EN ISO 12185
Relative vapour density:		not determined	
Particle characteristics:		not applicable	
2 Other information			

according to UK REACH Regulation

Revision date: 07.11.2022

DIVINOL SYNTHOLIGHT 10W-60

Article No.: 49390

Other safety characteristics

Pour point: Viscosity / dynamic: Flow time:

Further Information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

Page 5 of 7

<= -33 °C ASTM D 7346 not determined not determined

according to UK REACH Regulation

DIVINOL SYNTHOLIGHT 10W-60

Revision date: 07.11.2022

Article No.: 49390

Page 6 of 7

There are no data available on the mixture itself.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine pollutant:	NO
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No data available	
14.7. Maritime transport in bulk according to	IMO instruments
No data available	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

according to UK REACH Regulation

7.11.2022		Article No.: 49390	Page 7 c
Restrictions on use (I	REACH anney X	//II)·	
Entry 75		v 11j.	
Directive 2010/75/EU emissions:	l on industrial	0 %	
Information according 2012/18/EU (SEVES	-	Not subject to 2012/18/EU (SEVESO III)	
National regulatory	information		
Water hazard class (I	D):	1 - slightly hazardous to water	
5.2. Chemical safety a	<u>ssessment</u>		
Chemical safety a	assessments for s	ubstances in this mixture were not carried out.	
ECTION 16: Other in	nformation		
Changes			
This data sheet c	ontains changes	from the previous version in section(s): 2,6,8,9,11,12,13,14,15,1	6.
Abbreviations and a	•		
Asp. Tox: Aspirat Aquatic Chronic:		azard	
•		ernational des marchandises dangereuses par route (Agreemer	nt concerning
		erous Goods by Road)	it concerning
		sport international ferroviaire des marchandises dangereuses (F	Regulations
-		ge of Dangerous Goods by Rail)	·
IMDG: Internation	nal Maritime Code	for Dangerous Goods	
IATA: Internation	-		
ICAO: Internation		-	
		a division of the American Chemical Society) evel / Derived Minimal Effect Level	
PNEC: Predicted			
WEL (UK): Workp			
TWA (EC): Time-			
STEL (EC): Short			
ATE: Acute Toxic			
LD50: Lethal Dos	se, 50% (median l	ethal dose)	
LC50: Lethal Cor	centration, 50%	median lethal concentration)	
EC50: half maxim			
ErC50: EC50 in to		-	
		zum Umgang mit wassergefährdenden Stoffen	
Relevant H and EUH		-	
H304		l if swallowed and enters airways.	
H413 May cause long lasting harmful effects to aquatic life. EUH210 Safety data sheet available on request.			
Further Information	Salety udla	הופני מימוומטוב טוו ובקעבטו.	
	et according to CC	MMISSION REGULATION (EU) 2020/878 of 18 June 2020 am	ending Annex II
to Regulation (EC	-		
The above inform	nation describes ε	xclusively the safety requirements of the product and is based o	n our
		nation is intended to give you advice about the safe handling of t	
	meager mener		-
present-day know	-	r storage, processing, transport and disposal. The information ca	annot be
present-day know named in this saf transferred to oth	ety data sheet, fo er products. In th	r storage, processing, transport and disposal. The information ca e case of mixing the product with other products or in the case o sheet is not necessarily valid for the new made-up material.	