

according to UK REACH Regulation

Revision date: 29.01.2024

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

51880 DIVINOL SPEZIALOEL HGB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

ZELLER+GMELIN

Lubricant

1.3. Details of the supplier of the safety data sheet

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
E-mail:	info@zeller-gmelin.de	
Contact person:	Thorsten Grönig	Telephone: +49 (0) 7161 / 802-268
E-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	
1.4. Emergency telephone number:	In England and Wales: NHS Direct: 084 08454 24 24 24	5 4647 or 111 In Scotland: NHS 24 -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412

Precautionary statements

Avoid release to the environment.

P273 2.3. Other hazards

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives. No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

Harmful to aquatic life with long lasting effects.

according to UK REACH Regulation

Revision date: 29.01.2024

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 2 of 9

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation	tion)		
64742-65-0	distillates (petroleum), solvent-	dewaxed heavy paraffinic		1 - < 2.5 %
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304			
85940-28-9	phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts			
	288-917-4		01-2119521201-61	
	Skin Irrit. 2, Eye Dam. 1, Aquat	ic Chronic 2; H315 H318 H41	1	
74499-35-7	phenol, (tetrapropenyl) derivativ	/es		< 0.1 %
	616-100-8	604-092-00-9		
	Repr. 1B, Skin Corr. 1C, Eye D H400 H410	am. 1, Aquatic Acute 1, Aqua	tic Chronic 1; H360F H314 H318	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	. Limits, M-factors and ATE	
85940-28-9	288-917-4	phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	1 - < 2.5 %
		0 = >20000 mg/kg Skin Irrit. 2; H315: >= 15 - 100 Eye Dam. 1; H318: >= 20 - 100 319: >= 15 - < 20	
74499-35-7	616-100-8	phenol, (tetrapropenyl) derivatives	< 0.1 %
		e 1; H400: M=10 nic 1; H410: M=10	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).



according to UK REACH Regulation

Revision date: 29.01.2024

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 3 of 9

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Protective measures: see section 7 + 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Protective measures: see section 7 + 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

Revision date: 29.01.2024

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 4 of 9

DNEL/DMEL values

CAS No	Substance			
DNEL type Exposure route Effect Value				
64742-65-0	distillates (petroleum), solvent-dewaxed heavy paraffinic			
Worker DNEL,	long-term	inhalation	local	5,40 mg/m³
Consumer DNEL, long-term inhalation local 1,20 mg/m ³				
85940-28-9	phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts			
Worker DNEL,	long-term	dermal	systemic	9,6 mg/kg bw/day
74499-35-7	phenol, (tetrapropenyl) derivatives			
Worker DNEL,	long-term	inhalation	systemic	0,053 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,25 mg/kg bw/day

PNEC values

CAS No	Substance					
Environmental compartment Value						
64742-65-0 distillates (petroleum), solvent-dewaxed heavy paraffinic						
Secondary poisoning 9,33 mg/k						
85940-28-9 phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts						
Freshwater 0,004 mg/l						

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN ISO 16321).

Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.



according to UK REACH Regulation

Revision date: 29.01.2024

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 5 of 9

Test method

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	characteristic

	l est method
not determined	
not determined	
not determined	
0,6 vol. %	
6,5 vol. %	
> 210 °C	EN ISO 2592
not determined	
not determined	
not applicable	
11 mm²/s	ASTM D 7042
insoluble	
not determined	
< 0,1 hPa	
	DIN EN ISO 12185
not applicable	
<= -36 °C	ASTM D 7346
not determined	
not determined	
	not determined not determined 0,6 vol. % 6,5 vol. % > 210 °C not determined not determined not applicable 11 mm²/s insoluble not determined < 0,1 hPa 0,87 g/cm³ not determined not applicable

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Revision date:	DIVINOL SPEZIALOEL HGB	
29.01.2024	Article No.: 51880	Page 6 of 9

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
85940-28-9	phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts				
	dermal	LD50 >20000 mg/kg	Rabbit	OECD 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.

Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	No Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
85940-28-9	phosphorodithioic acid, m	ixed O,O-b	is(2-ethylhexy	rl and isc	-Bu and iso-Pr) esters, zir	nc salts	
	Acute fish toxicity	LC50	4,5 mg/l		Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50	2,1 mg/l		Selenastrum capricornutum	OECD 201	
	Acute crustacea toxicity	EC50	5,4 mg/l		Daphnia magna (Big water flea)	OECD 202	
	Fish toxicity	NOEC	1,8 mg/l		Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Crustacea toxicity	NOEC	<1 mg/l		Daphnia magna (Big water flea)	OECD 202	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
85940-28-9	phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	8,87

according to UK REACH Regulation

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 7 of 9

12.4. Mobility in soil

Revision date: 29.01.2024

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>bstance or mixture</u>
transport regulation.
transport regulation.
transport regulation.
transport regulation.
transport regulation.
transport regulation. transport regulation.
transport regulation.
;

EU regulatory information

Authorisations (REACH, annex XIV): Substances of very high concern, SVHC (REACH, article 59): phenol, (tetrapropenyl) derivatives

according to UK REACH Regulation

	aco	ccording to UK REACH Regulation	
Revision date:	DIV	VINOL SPEZIALOEL HGB	
29.01.2024		Article No.: 51880	Page 8 of 9
Restrictions on use (REAC Entry 3, Entry 30, Entry	-		
Directive 2010/75/EU on ir emissions:	dustrial 0 %		
Information according to D 2012/18/EU (SEVESO III):	rective Not s	subject to 2012/18/EU (SEVESO III)	
National regulatory inform	nation		
Water hazard class (D):	1 - sl	lightly hazardous to water	
15.2. Chemical safety assess	ment		
		s in this mixture were not carried out.	
SECTION 16: Other inform	ation		
Changes			
	s changes from the pre	revious version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.	
Abbreviations and acrony			
Asp. Tox: Aspiration ha			
Skin Corr: Skin corrosi			
Skin Irrit: Skin irritation			
Eye Dam: Eye damage			
Repr: Reproductive to	icity		
Aquatic Acute: Acute a	quatic hazard		
Aquatic Chronic: Chror	ic aquatic hazard		
	-	des marchandises dangereuses par route (Agreement concerning	
the International Carria			
		national ferroviaire des marchandises dangereuses (Regulations	
concerning the Interna	• •		
IMDG: International Ma	÷		
IATA: International Air			
ICAO: International Civ	-		
	N N	of the American Chemical Society)	
		ved Minimal Effect Level	
PNEC: Predicted No E			
WEL (UK): Workplace TWA (EC): Time-Weig	•		
STEL (EC): Short Tern	-		
ATE: Acute Toxicity Es	•		
LD50: Lethal Dose, 50)	
LC50: Lethal Concentr	. , , , , , , , , , , , , , , , , , , ,	,	
EC50: half maximal Ef		,	
ErC50: EC50 in terms	of reduction of growth r	rate	
AwSV: Verordnung üb	r Anlagen zum Umgan	ng mit wassergefährdenden Stoffen	
Classification for mixtures a	nd used evaluation m	nethod according to GB CLP Regulation	
Classification	Classification pro	ocedure	
Aquatic Chronic 3; H412	Calculation meth	hod	
Relevant H and EUH state	ments (number and fi		•
	-	ved and enters airways.	
	Causes severe skin bu	-	
	Causes skin irritation.	, .	
	Causes serious eye da	amage.	
	· · · · · · · · · · · · · · · · · · ·		
	-	fe with long lasting effects.	
LI11	• • • •		

H411 H412 Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

according to UK REACH Regulation

Revision date: 29.01.2024

DIVINOL SPEZIALOEL HGB

Article No.: 51880

Page 9 of 9

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)